


# FIXING SOLUTIONS



Inconspicuous, but extremely effective: Fixing systems from METO play a major role in helping you to achieve an efficient and clearly laid-out design for your sales floor. No ceiling is too high, no freezer too wide. This programme integrates seamlessly into your shop fit-out and opens up virtually boundless individual design scope for sales floors. Each component is simple to fit and ensures that the labeling and pricing modules remain firmly in place. The simple design of our systems does not interfere with the visibility or accessibility of goods displayed: Your products always take centre stage!



## Elegant fixture for shelf banners

### Elegant fixture for banners

InfoLine is a highly reliable and flexible fixture solution for banners.

### Universal solution for shelves and freezers

Banners can be attached to virtually any shelf or freezer in a hanging position.

### Help your customers find their way around the shop

Give customers a clear picture, and guide them around your shop. InfoLine is ideal as a customer guidance system and for identifying departments, product groups, special offer areas and information counters.

### Draw attention to particular departments, product groups and offers

On-shelf communication is the perfect way to draw the customer's attention to the merchandise.

### Easy to use and install

InfoLine fixing accessories are easy to use. Magnets, adhesive tape and plug-in connectors make installation easy while providing great flexibility to suit your changing needs.

### Flexible and reliable

The InfoLine system is the ideal fixture solution. All parts fit together perfectly, guaranteeing utmost flexibility.





## InfoLine banner holder


Application: Fixing system for banners identifying product groups or serving as a customer direction system. Consisting of an aluminium arm, magnetic mount and plastic connection parts.

■ Art. no.	Arm
9120211	80 cm
9140888	40 cm

**Customised banners  
on request!**

Material: Aluminium, PP, PA, PC  
Colour: Transparent / white

**Unit quantity: 2**




## InfoLine banner clip

Application: Clip for fixing banners to the InfoLine profile arm, no screws required.

■ Art. no.: 9145941

Format: 35 x 15 x 15 mm  
Material: Polycarbonate  
Colour: Transparent

**Unit quantity: 25**



## InfoLine adhesive mount

Application: Adaptor to fix InfoLine profiles on smooth surfaces or to create frame constructions; includes adhesive foam tape.

■ Art. no.: 9207601\*

\* Product on request, minimum order quantity 10 units with mark-up for small quantities

Format: 40 x 60 mm  
Material: PA6  
Colour: White

**Unit quantity: 50**





## Multifunctional system for in-store communication

Retailers require simple and flexible solutions in order to be able to react quickly to the latest themes – solutions that work where they are needed most: at the point of sale.

PosterLine offers numerous advantages for everyday use within the store. Thanks to its lightweight construction (hollow profile), it is ideal for attachment to walls or suspension from the ceiling. There is also an extensive range of accessories available to transform PosterLine into a multifunctional system.

### Highlights

- Fixing system for price and promotion signage or customer guidance
- For attachment to walls or suspension from the ceiling
- The curved surface helps to hold posters in place
- Lightweight (hollow profile)
- Easy to use and install
- Wide range of accessories available



## PosterLine

Application: Light profile for attachment to walls or suspension from the ceiling for the display of price or information posters in formats ranging from DIN A5 portrait to DIN A1 landscape. Extruded polystyrene profile in standard colour grey RAL 7035 (customised colours on request) for the simple and professional display of posters, packed in a polythene bag with cardboard edge-protectors, including fitting instructions.


Art. no.	Description	Length	Unit quantity
9008028	PosterLine DIN A5	2 m	2
9004475	PosterLine DIN A4	2 m	2
9408824**	Side piece DIN A3/A2	1 m	1
9406732**	Side piece DIN A3/A2	2 m	1
9408823*	Centre piece DIN A2/A1	1 m	1
9406726*	Centre piece DIN A2/A1	2 m	1

\* Product on request, minimum order quantity 750 m  
 \*\* Product on request, minimum order quantity 1,500 m

**Example I:** For poster formats DIN A3 portrait / DIN A2 landscape, two DIN A3 portrait / DIN A2 landscape side pieces are required; these are connected to one another.

**Example II:** For poster formats DIN A2 portrait / DIN A1 landscape, two DIN A3 portrait / DIN A2 landscape side pieces and one DIN A2 centre piece are required; these are connected to one another.

Material: Polystyrene (PS), suitable for indoor use only  
 Colour: Light grey RAL 7035 (other colours on request)



A = PosterLine DIN A5 portrait / DIN A4 landscape  
 B = PosterLine DIN A4 portrait / DIN A3 landscape  
 C = Side piece DIN A3 portrait / DIN A2 landscape  
 D = Centre piece DIN A2 portrait / DIN A1 landscape







## PosterLine end caps

Application: For PosterLine DIN A5, A4 and A2.

■ Art. no.	Format	Unit quantity
9135765	DIN A5	4
9135764	DIN A4	4
9407440*	DIN A2	1

\* Product on request, minimum order quantity 50 units

Material: PS

Colour: Light grey RAL 7035



## PosterLine wall-mounting accessories

Application: For the attachment of PosterLine DIN A4 and DIN A5 to the wall.  
System consists of: 20 wall-mounting adaptors, 20 wall plugs, 6 x 60 mm.

■ Art. no.: 9004344

Material: PC + GF (wall-mounting adaptors)

**Unit quantity: 1**



## PosterLine connector

Application: For connecting two PosterLine profiles together, including four screws.

■ Art. no.: 9010690

Material: PA6-GF30

Colour: Light grey RAL 7035

**Unit quantity: 2**



## PosterLine hooks

Application: For hanging PosterLine from the ceiling.

■ Art. no.: 9008080

Material: Polycarbonate

Colour: Light grey RAL 7035

**Unit quantity: 20**



## POSTERLINE ACCESSORIES



### Frame holder

Application: For attaching frames above or below the PosterLine profile and to freezer rails (see p. 61).

■ Art. no.: 8310610

Size: 25 x 25 x 22 mm  
Material: Polycarbonate  
Colour: Transparent

**Unit quantity: 20**



### Special offer clip

Application: Clip for fixing posters and product group signs above or below the PosterLine profile and to freezer rails (see p. 61).

■ Art. no.: 9003805

Material: Polycarbonate  
Colour: Transparent

**Unit quantity: 25**



### Position rail

Application: Perforated plastic profile. Can be used in combination with suspension rails, suspension tubes and PosterLine. For exact positioning of poster mounts, price displays, frames etc. above the goods.

■ Art. no.: 9113995

Material: PVC  
Colour: Transparent  
Length: 200 cm

**Unit quantity: 5**



### Hooks for suspension rails / tubes and PosterLine

Application: For hanging poster mounts, price displays, frames etc. Accessories for suspension rails, suspension tubes and PosterLine.

■ Art. no.: 8310695

Material: Polycarbonate  
Colour: Transparent

**Unit quantity: 25**



# SUSPENSION RAIL AND ACCESSORIES



## Suspension rail

Application: Aluminium profile with two end-caps. For suspending posters, price displays, frames, etc. from ceilings. Suitable for hanging heavy displays.

■ Art. no.: 8310600

Material: Aluminium  
Colour: Silver, anodised  
Length: 200 cm



Allows the insertion of shelf strips (39 mm)

Unit quantity: 1



## Suspension rail connector

Application: Allows the connection of two suspension rails.

■ Art. no.: 8310622

Material: Aluminium  
Colour: Silver, anodised

Unit quantity: 1




## Position rail

Application: Perforated plastic profile. Can be used in combination with suspension rails, suspension tubes and PosterLine. For exact positioning of poster mounts, price displays, frames etc. above the goods.

■ Art. no.: 9113995

Material: PVC  
Colour: Transparent  
Length: 200 cm



Unit quantity: 5



## Hooks for suspension rails / tubes and PosterLine

Application: For hanging poster mounts, price displays, frames etc. Accessories for suspension rails, suspension tubes and PosterLine.

■ Art. no.: 8310695

Material: Polycarbonate  
Colour: Transparent

Unit quantity: 25



# SUSPENSION RAIL ACCESSORY




## Extra suspension fitting for suspension rail

Application: Extra suspension fitting for long rail constructions.  
Only for suspension rail. Can also be used in combination with QuickFix (see p. 57). Note that eye bolt must be removed prior to QuickFix insertion.

■ Art. no.: 9113997

Material: Aluminium  
Colour: Silver, anodised

Unit quantity: 10





# DECLINE SUSPENSION TUBES



## Decline suspension tubes: light, sturdy and usable anywhere – your ideal fixing solution

Suspension tubes from METO deliver what they promise.

They offer the ideal foundation for the effective sales promotion labeling of merchandise in your store. There is also an extensive range of accessories available for practically all multifunctional fixture system requirements.

### Your benefits

- Your price signage and special offer information can be placed right with the merchandise.
- Suspension tubes are simple to install since the accessories can be easily inserted.
- Thanks to the use of sturdy lightweight materials, even larger constructions can be created without difficulty.
- In combination with the extensive range of accessories, these suspension tubes allow you to make your design concepts reality.
- A wide range of colours is available to create an elegant look in your store.



## Suspension tubes

Application: Light, sturdy aluminium suspension profiles with two grey end caps for suspending price displays, frames etc. Can be used in combination with PVC position rails and hooks for suspension rails.

■ Art. no.	Colour	
9114263	silver, anodised	
9114264	white RAL 9016	
9118359	yellow RAL 1021	
9124124	red RAL 3000	
9124120	blue RAL 5015	
9124125	green RAL 6024	
9133762	grey RAL 7005	

Material: Aluminium

Length: 200 cm

Unit quantity: 1



# DECOLINE SUSPENSION TUBE ACCESSORIES



## Suspension hooks for suspension tubes

Application: Plastic hooks to be inserted into the aluminium profiles.  
For hanging aluminium profiles; can be slid along the profile.

■ Art. no.: 9114266

Material: Polycarbonate  
Colour: Transparent  
Length: 20 mm

Unit quantity: 25



## Eco connector for suspension tubes

Application: Plastic connector to be inserted into the aluminium profiles.  
Allows the connection of two aluminium profiles. Plug-in connection, no screws required. Not visible from the outside.

■ Art. no.: 9178369

Material: PA and GF  
Colour: Grey RAL 7005  
Length: 160 mm

Unit quantity: 10



## Top-sign adaptor for suspension tubes

Application: Plastic connector to be inserted into the aluminium profiles.  
Allows the connection of two aluminium profiles. Plug-in connection, no screws required.

■ Art. no.	Tube spacing	Length	Colour	Material
9200178*	3 mm	30 mm	semi-transparent	polypropylene
9405751**	0 mm	18 mm	transparent	polycarbonate

\* Product on request, minimum order quantity 86 units

\*\* Product on request, minimum order quantity 400 units

Unit quantity: 50



## Elbow connector 135° for suspension tubes

Application: Plastic connector to be inserted into the aluminium profiles.  
Allows the connection of two aluminium profiles. Plug-in connection, no screws required.

■ Art. no.: 9416723

Material: Ultramid B3L  
Colour: Grey RAL 7005  
Size: 113 x 41 x 31 mm

Unit quantity: 2



## DECOLINE SUSPENSION TUBE ACCESSORIES



### Corner connector for suspension tubes

Application: Plastic connector to be inserted into the aluminium profiles. Allows the connection of two aluminium profiles. Plug-in connection, no screws required.

■ Art. no.: 9410482

Material: PA and GF  
Colour: Grey RAL 7005  
Length: 73.5 mm

**Unit quantity: 2**



### Cross connector for suspension tubes

Application: Plastic connector to be inserted into the aluminium profiles. Allows the connection of four aluminium profiles. Plug-in connection, no screws required.

■ Art. no.: 9410484

Material: PA and GF  
Colour: Grey RAL 7005  
Length: 145.5 mm

**Unit quantity: 2**



### T-connector for suspension tubes

Application: Plastic connector to be inserted into the aluminium profiles. Allows the connection of 3 aluminium profiles. Plug-in connection, no screws required.

■ Art. no.: 9410483

Material: PA and GF  
Colour: Grey RAL 7005  
Length: 145.5 mm

**Unit quantity: 2**




### Position rail and hooks for suspension rail / tubes and PosterLine


■ Art. no.: 9113995 (position rail)

■ Art. no.: 8310695 (hook)

(Detailed product information see p. 46 and 47)



# DECOLINE SUSPENSION TUBES – RECTANGULAR



## Suspension tube – rectangular

Application: Rectangular aluminium suspension profile for suspending price displays, frames etc. Can be used in combination with PVC position rails and hooks for suspension rails.

■ Art. no.: 9428577

Material: Aluminium  
Colour: Silver, anodised  
Size: 50 x 22.5 x 2,000 mm



Unit quantity: 1



## End caps for suspension tube, rectangular

Application: For rectangular suspension tube (9428577).

■ Art. no.: 9429294

Material: Terluran GP 22 natural  
Colour: Grey



Unit quantity: 10



## Connector for suspension tube, rectangular

Application: For rectangular suspension tube (9428577), with two grub screws M4.

■ Art. no.: 9428574

Material: Sheet metal  
Colour: Grey  
Size: 19.5 x 100 mm



Unit quantity: 5




## Position rail and hooks for suspension rail/tubes and PosterLine

■ Art. no.: 9113995 (position rail)

■ Art. no.: 8310695 (hook)

(Detailed product information see p. 46 and 47)







## Ceiling hooks for grid ceilings

Application: For attachment to grid ceilings (Odenwald ceilings).

■ Art. no. | Unit quantity

8350283 | 20


8311104 | 250

Length: 75 mm

Thickness: 1.5 mm

Material: Metal, rustproof

Colour: Silver



## Ceiling clips for grid ceilings

Application: Ceiling clip for easy installation and deinstallation with standard grid ceilings (Odenwald ceilings). Can be released by simply pressing the sides. The clip tightens automatically when weight is applied.

■ Art. no.: 9217859

Format: 26 x 27.7 mm

Material: PA6 GF15

Colour: White RAL 9010



**Unit quantity: 100**



3 kg



6 kg



12 kg

## Ceiling magnets

Application: For attachment to metal surfaces. With a fixed closed eyelet.

■ Art. no. | Load-bearing capacity | Unit quantity


8311120 | 3 kg | 20

8311121 | 6 kg | 20

8311122 | 12 kg | 10

Material: PVC

Colour: White (housing)



# CEILING FIXTURES



## S-hooks

Application: Universal connectors for the connection of two elements.

■ Art. no.	Size
9122945	20 mm
9139971	28 mm

Material: Stainless steel  
Colour: Grey

**Unit quantity: 100**




## C-hooks

Application: Universal connectors for the connection of two elements.

■ Art. no.	Unit quantity
8350286	20
8311102	250

Length: 40 mm  
Material: Stainless steel  
Colour: Silver




## Hooks for tubes

Application: For attachment to tubes with a diameter of no more than 35 mm.

■ Art. no.: 8311103

Material: Stainless steel  
Colour: Silver

**Unit quantity: 250**




## Self-adhesive hooks

Application: For attachment to flat surfaces.  
Self-adhesive fixing device with a rotating eyelet.

■ Art. no.: 8311130

Material: PVC  
Farbe: White

**Unit quantity: 100**





6 kg



30 kg



88 kg

## Chain

Application: Chain for suspending rails, posters, price displays, frames, etc. from the ceiling. Supplied on a roll.

■ Art. no.	Description	Load-bearing capacity	Length
8311125	Deco chain V12	6 kg (V12)	25 m
8311126	Knot chain K10	30 kg (V10)	30 m
8351015	Knot chain K16	88 kg (K16)	25 m

Material: Nickel-plated steel, rustproof  
Colour: Silver

Unit quantity: 1



## CEILING FIXTURES



### Steel cable

Application: Fixing device for hanging from the ceiling. Supplied on a roll.  
Cable for suspending rails, poster covers, price displays, frames, etc. To be used in combination with clamps for steel cable. For heavy-duty use (0.93 kN minimum breaking load).

■ Art. no.: 9180758

Length: 100 m  
Thickness: 1 mm  
Material: Galvanised steel  
Colour: Silver

**Unit quantity: 1**



### Clamps for steel cable

Application: For securing steel cables (pliers required).  
To be used in combination with steel cable.

■ Art. no. | for steel cable

9138714 | 8 mm thick

9208755 | 1 mm thick

Length: 5 mm  
Material: Lead  
Colour: Silver

**Unit quantity: 100**







## Suspension rods

Application: For suspending rails, posters, price displays, frames, etc. – in fixed lengths.

■ Art. no.	Length
8350333	100 cm
8350332	70 cm
9350334*	60 cm
8350331	50 cm
8350330	30 cm
8350329	15 cm


\* Product on request, minimum order quantity 50 units

Thickness: 2 mm

Material: Nickel-plated steel, rustproof

Colour: Silver

**Unit quantity: 100**



## QuickFix professional suspension system

Application: Adaptor clamp for steel cables to facilitate the quick and easy installation of suspension tubes and PosterLine. In order to install suspension rails, the extra suspension fitting (9113997) is also required (see p. 58). Continuously adjustable for accurate alignment. Including metal plate insert for static loads of up to 10 kg.

System consists of: Adaptor clamp with metric ISO thread (M3) and metal plate.

■ Art. no.	Unit quantity
9210476	50
9405906	10

Material: Nickel-plate, metal plate: Galvanised steel



## CEILING FIXTURES





### Extra suspension fitting for suspension rail

Application: Extra suspension fitting for long rail constructions.  
Only for suspension rail. Can also be used in combination with QuickFix (see p. 57). Note that eye bolt must be removed prior to QuickFix insertion.

■ Art. no.: 9113997

Material: Aluminium  
Colour: Silver, anodised

**Unit quantity: 10**



### Steel cable for QuickFix professional suspension system

Application: Suitable 1.2 mm-thick steel cable in three lengths with fixed hook on one end. For fast and professional mounting of your suspension system.

■ Art. no.	Length steel cable
9210478	90 cm
9210479	120 cm
9210480	150 cm

Material: Galvanised steel

**Unit quantity: 50**



### Clip profile 60/84 cm

Application: Extruded clip profile for holding posters in formats DIN A2 / DIN A1 landscape.

■ Art. no.	Length
9114412	60 cm (for DIN A2 landscape)
9114409	84 cm (for DIN A1 landscape)

Material: PVC  
Colour: Transparent

**Unit quantity: 50**




## Fixture solution for gondola ends, single-arm

Application: Fixing solution for price and product information on the shelf columns on gondola ends. System consists of: Suspension tube, corner connector with a metal core, positioning rail, two top-sign adaptors, end cap, pre-mounted clamping collars for insertion (via shelf inserts – see below) in the shelf pillar. Plug-in system, no screws etc. required.

- Art. no.: 9200154\* Gondola end solution 75 x 60 cm (vertical x horizontal)
- \* Product on request, minimum order quantity 5 units with mark-up for small quantities

Material: Aluminium, silver anodised, polyamide, polycarbonate  
Colour: Silver, grey RAL 7005

**Unit quantity: 1**



## Fixture solution for T-gondola

Application: Fixing solution for price and product information on the shelf columns on gondola ends with two arms. System consists of: Suspension tube, T-connector with metal core, two positioning rails, four top sign adaptors, two end caps, pre-mounted clamping collars for insertion (via shelf inserts – see below) in the shelf pillar. Plug-in system, no screws etc. required.

- Art. no.: 9200157\* T-gondola end solution 75 x 60 cm (two 60 cm-long arms)
- \* Product on request, minimum order quantity 5 units with mark-up for small quantities

Material: Aluminium, silver anodised, polyamide, polycarbonate  
Colour: Silver, grey RAL 7005

**Unit quantity: 1**



## Shelf inserts for gondola end solutions

Application: Accessory for attaching the gondola end solution to the shelf columns. For insertion into the shelf columns. The top square pin is inserted into the pre-fitted clamping collars on the suspension tube. Different inserts may be required for different shelf manufacturers.

■ Art. no.	Shelf type	Unit quantity
9203534*	Tego 60 x 30	5
9200176	Storebest 80 x 25	5
9422837**	Storebest 110 x 31	1
9200175	Tego / Linde 80 x 30	5

- \* Product on request, minimum order quantity 10 units
- \*\* Product and minimum order quantity on request

Material: Galvanised steel



## GONDOLA END SOLUTION ACCESSORY



### Top-sign adaptor for suspension tubes

Application: Clip for fixing special offer signs above or below the suspension tube (e.g. for a customer direction system).

Art. no.	Tube spacing	Length	Colour	Material
9200178*	3 mm	30 mm	semi-transparent	polypropylene
9405751**	0 mm	18 mm	transparent	polycarbonate

\* Product on request, minimum order quantity 86 units

\*\* Product on request, minimum order quantity 400 units



Unit quantity: 50







## Triangular freezer rail

Application: Accessories for freezer displays, including two end caps.  
For holding displays (frames etc.) and shelf edge profiles (two-sided on two levels) showing standard and special prices for freezers.  
For use in combination with the freezer base (9010420).

■ Art. no.	Length
9100854	124 cm
8310663	248 cm

Material: Aluminium, powder-coated  
Colour: White

Unit quantity: 1



## Freezer base for triangular freezer rail

Application: Injection-moulded part with adhesive pad and screws for attachment and connection of the triangular freezer rail.

■ Art. no.: 9010420

Material: PA  
Colour: White

Unit quantity: 3




## Connector for triangular freezer rail

Application: For connecting two triangular freezer rail.

■ Art. no.: 8310662

Material: Aluminium, powder-coated  
Colour: White

Unit quantity: 1



## Special offer clip

Application: Clip for fixing special offer posters and product group signs above the triangular freezer rails.

■ Art. no.: 9003805

Material: Polycarbonate  
Colour: Transparent

Unit quantity: 25



## DEEP FREEZE SOLUTIONS / ELECTRONIC PRICE MARKING



### Frame holder

Application: Accessories for freezer labeling to fix frames above the triangular freezer rails.

■ Art. no.: 8310610

Size: 25 x 25 x 22 mm

Material: Polycarbonate, transparent

**Unit quantity: 20**




### Order-entry profile 42 mm

Application: To fit onto the triangular freezer rail for holding labels 40 mm in height. Co-extruded profile, white / transparent with adhesive backing.

■ Art. no.: 8352456

Length: 1,235 mm

**Unit quantity: 50**



Accessories for electronic price marking:  
Please contact your responsible Meto  
consultant and ask for our solutions.

