



PosterLine end caps

Application: For PosterLine DIN A5, A4 and A2.

■ Art. no.	Format	Unit quantity
9135765	DIN A5	4
9135764	DIN A4	4
9407440*	DIN A2	1

* Product on request, minimum order quantity 50 units

Material: PS

Colour: Light grey RAL 7035



PosterLine wall-mounting accessories

Application: For the attachment of PosterLine DIN A4 and DIN A5 to the wall.
System consists of: 20 wall-mounting adaptors, 20 wall plugs, 6 x 60 mm.

■ Art. no.: 9004344

Material: PC + GF (wall-mounting adaptors)

Unit quantity: 1



PosterLine connector

Application: For connecting two PosterLine profiles together, including four screws.

■ Art. no.: 9010690

Material: PA6-GF30

Colour: Light grey RAL 7035

Unit quantity: 2



PosterLine hooks

Application: For hanging PosterLine from the ceiling.

■ Art. no.: 9008080

Material: Polycarbonate

Colour: Light grey RAL 7035

Unit quantity: 20



POSTERLINE ACCESSORIES



Frame holder

Application: For attaching frames above or below the PosterLine profile and to freezer rails (see p. 61).

■ Art. no.: 8310610

Size: 25 x 25 x 22 mm
Material: Polycarbonate
Colour: Transparent

Unit quantity: 20



Special offer clip

Application: Clip for fixing posters and product group signs above or below the PosterLine profile and to freezer rails (see p. 61).

■ Art. no.: 9003805

Material: Polycarbonate
Colour: Transparent

Unit quantity: 25



Position rail

Application: Perforated plastic profile. Can be used in combination with suspension rails, suspension tubes and PosterLine. For exact positioning of poster mounts, price displays, frames etc. above the goods.

■ Art. no.: 9113995

Material: PVC
Colour: Transparent
Length: 200 cm

Unit quantity: 5



Hooks for suspension rails / tubes and PosterLine

Application: For hanging poster mounts, price displays, frames etc. Accessories for suspension rails, suspension tubes and PosterLine.

■ Art. no.: 8310695

Material: Polycarbonate
Colour: Transparent

Unit quantity: 25



SUSPENSION RAIL AND ACCESSORIES



Suspension rail

Application: Aluminium profile with two end-caps. For suspending posters, price displays, frames, etc. from ceilings. Suitable for hanging heavy displays.

■ Art. no.: 8310600

Material: Aluminium
Colour: Silver, anodised
Length: 200 cm



Allows the insertion of shelf strips (39 mm)

Unit quantity: 1



Suspension rail connector

Application: Allows the connection of two suspension rails.

■ Art. no.: 8310622

Material: Aluminium
Colour: Silver, anodised

Unit quantity: 1




Position rail

Application: Perforated plastic profile. Can be used in combination with suspension rails, suspension tubes and PosterLine. For exact positioning of poster mounts, price displays, frames etc. above the goods.

■ Art. no.: 9113995

Material: PVC
Colour: Transparent
Length: 200 cm



Unit quantity: 5



Hooks for suspension rails / tubes and PosterLine

Application: For hanging poster mounts, price displays, frames etc. Accessories for suspension rails, suspension tubes and PosterLine.

■ Art. no.: 8310695

Material: Polycarbonate
Colour: Transparent

Unit quantity: 25



SUSPENSION RAIL ACCESSORY




Extra suspension fitting for suspension rail

Application: Extra suspension fitting for long rail constructions.
Only for suspension rail. Can also be used in combination with QuickFix (see p. 57). Note that eye bolt must be removed prior to QuickFix insertion.

■ Art. no.: 9113997

Material: Aluminium
Colour: Silver, anodised

Unit quantity: 10



DECLINE SUSPENSION TUBES



DecoLine suspension tubes: light, sturdy and usable anywhere – your ideal fixing solution

Suspension tubes from METO deliver what they promise. They offer the ideal foundation for the effective sales promotion labeling of merchandise in your store. There is also an extensive range of accessories available for practically all multifunctional fixture system requirements.








Your benefits

- Your price signage and special offer information can be placed right with the merchandise.
- Suspension tubes are simple to install since the accessories can be easily inserted.
- Thanks to the use of sturdy lightweight materials, even larger constructions can be created without difficulty.
- In combination with the extensive range of accessories, these suspension tubes allow you to make your design concepts reality.
- A wide range of colours is available to create an elegant look in your store.



Suspension tubes

Application: Light, sturdy aluminium suspension profiles with two grey end caps for suspending price displays, frames etc. Can be used in combination with PVC position rails and hooks for suspension rails.

■ Art. no.	Colour	
9114263	silver, anodised	
9114264	white RAL 9016	
9118359	yellow RAL 1021	
9124124	red RAL 3000	
9124120	blue RAL 5015	
9124125	green RAL 6024	
9133762	grey RAL 7005	

Material: Aluminium
Length: 200 cm

Unit quantity: 1



DECOLINE SUSPENSION TUBE ACCESSORIES



Suspension hooks for suspension tubes

Application: Plastic hooks to be inserted into the aluminium profiles.
For hanging aluminium profiles; can be slid along the profile.

■ Art. no.: 9114266

Material: Polycarbonate
Colour: Transparent
Length: 20 mm

Unit quantity: 25



Eco connector for suspension tubes

Application: Plastic connector to be inserted into the aluminium profiles.
Allows the connection of two aluminium profiles. Plug-in connection,
no screws required. Not visible from the outside.

■ Art. no.: 9178369

Material: PA and GF
Colour: Grey RAL 7005
Length: 160 mm

Unit quantity: 10



Top-sign adaptor for suspension tubes

Application: Plastic connector to be inserted into the aluminium profiles.
Allows the connection of two aluminium profiles. Plug-in connection,
no screws required.

■ Art. no.	Tube spacing	Length	Colour	Material
9200178*	3 mm	30 mm	semi-transparent	polypropylene
9405751**	0 mm	18 mm	transparent	polycarbonate

* Product on request, minimum order quantity 86 units

** Product on request, minimum order quantity 400 units

Unit quantity: 50



Elbow connector 135° for suspension tubes

Application: Plastic connector to be inserted into the aluminium profiles.
Allows the connection of two aluminium profiles. Plug-in connection,
no screws required.

■ Art. no.: 9416723

Material: Ultramid B3L
Colour: Grey RAL 7005
Size: 113 x 41 x 31 mm

Unit quantity: 2



DECOLINE SUSPENSION TUBE ACCESSORIES



Corner connector for suspension tubes

Application: Plastic connector to be inserted into the aluminium profiles. Allows the connection of two aluminium profiles. Plug-in connection, no screws required.

■ Art. no.: 9410482

Material: PA and GF
Colour: Grey RAL 7005
Length: 73.5 mm

Unit quantity: 2



Cross connector for suspension tubes

Application: Plastic connector to be inserted into the aluminium profiles. Allows the connection of four aluminium profiles. Plug-in connection, no screws required.

■ Art. no.: 9410484

Material: PA and GF
Colour: Grey RAL 7005
Length: 145.5 mm

Unit quantity: 2



T-connector for suspension tubes

Application: Plastic connector to be inserted into the aluminium profiles. Allows the connection of 3 aluminium profiles. Plug-in connection, no screws required.

■ Art. no.: 9410483

Material: PA and GF
Colour: Grey RAL 7005
Length: 145.5 mm

Unit quantity: 2




Position rail and hooks for suspension rail / tubes and PosterLine

■ Art. no.: 9113995 (position rail)

■ Art. no.: 8310695 (hook)

(Detailed product information see p. 46 and 47)



DECOLINE SUSPENSION TUBES – RECTANGULAR



Suspension tube – rectangular

Application: Rectangular aluminium suspension profile for suspending price displays, frames etc. Can be used in combination with PVC position rails and hooks for suspension rails.

■ Art. no.: 9428577

Material: Aluminium
Colour: Silver, anodised
Size: 50 x 22.5 x 2,000 mm



Unit quantity: 1



End caps for suspension tube, rectangular

Application: For rectangular suspension tube (9428577).

■ Art. no.: 9429294

Material: Terluran GP 22 natural
Colour: Grey



Unit quantity: 10



Connector for suspension tube, rectangular

Application: For rectangular suspension tube (9428577), with two grub screws M4.

■ Art. no.: 9428574

Material: Sheet metal
Colour: Grey
Size: 19,5 x 100 mm



Unit quantity: 5




Position rail and hooks for suspension rail / tubes and PosterLine

■ Art. no.: 9113995 (position rail)

■ Art. no.: 8310695 (hook)

(Detailed product information see p. 46 and 47)





Ceiling hooks for grid ceilings

Application: For attachment to grid ceilings (Odenwald ceilings).

■ Art. no. | Unit quantity

8350283 | 20


8311104 | 250

Length: 75 mm

Thickness: 1.5 mm

Material: Metal, rustproof

Colour: Silver



Ceiling clips for grid ceilings

Application: Ceiling clip for easy installation and deinstallation with standard grid ceilings (Odenwald ceilings). Can be released by simply pressing the sides. The clip tightens automatically when weight is applied.

■ Art. no.: 9217859

Format: 26 x 27,7 mm

Material: PA6 GF15

Colour: White RAL 9010



Unit quantity: 100



3 kg



6 kg



12 kg

Ceiling magnets

Application: For attachment to metal surfaces. With a fixed closed eyelet.

■ Art. no. | Load-bearing capacity | Unit quantity


8311120 | 3 kg | 20

8311121 | 6 kg | 20


8311122 | 12 kg | 10

Material: PVC

Colour: White (housing)



CEILING FIXTURES



S-hooks

Application: Universal connectors for the connection of two elements.

■ Art. no.	Size
9122945	20 mm
9139971	28 mm

Material: Stainless steel
Colour: Grey

Unit quantity: 100




C-hooks

Application: Universal connectors for the connection of two elements.

■ Art. no.	Unit quantity
8350286	20
8311102	250

Length: 40 mm
Material: Stainless steel
Colour: Silver




Hooks for tubes

Application: For attachment to tubes with a diameter of no more than 35 mm.

■ Art. no.: 8311103

Material: Stainless steel
Colour: Silver

Unit quantity: 250




Self-adhesive hooks

Application: For attachment to flat surfaces.
Self-adhesive fixing device with a rotating eyelet.

■ Art. no.: 8311130

Material: PVC
Farbe: White

Unit quantity: 100





6 kg



30 kg



88 kg

Chain

Application: Chain for suspending rails, posters, price displays, frames, etc. from the ceiling. Supplied on a roll.

■ Art. no.	Description	Load-bearing capacity	Length
8311125	Deco chain V12	6 kg (V12)	25 m
8311126	Knot chain K10	30 kg (V10)	30 m
8351015	Knot chain K16	88 kg (K16)	25 m

Material: Nickel-plated steel, rustproof
Colour: Silver

Unit quantity: 1



CEILING FIXTURES



Steel cable

Application: Fixing device for hanging from the ceiling. Supplied on a roll.
Cable for suspending rails, poster covers, price displays, frames, etc. To be used in combination with clamps for steel cable. For heavy-duty use (0.93 kN minimum breaking load).

■ Art. no.: 9180758

Length: 100 m
Thickness: 1 mm
Material: Galvanised steel
Colour: Silver

Unit quantity: 1



Clamps for steel cable

Application: For securing steel cables (pliers required).
To be used in combination with steel cable.

■ Art. no.	for steel cable
9138714	8 mm thick
9208755	1 mm thick

Length: 5 mm
Material: Lead
Colour: Silver

Unit quantity: 100





Suspension rods

Application: For suspending rails, posters, price displays, frames, etc. – in fixed lengths.

■ Art. no.	Length
8350333	100 cm
8350332	70 cm
9350334*	60 cm
8350331	50 cm
8350330	30 cm
8350329	15 cm


* Product on request, minimum order quantity 50 units

Thickness: 2 mm

Material: Nickel-plated steel, rustproof

Colour: Silver

Unit quantity: 100



QuickFix professional suspension system

Application: Adaptor clamp for steel cables to facilitate the quick and easy installation of suspension tubes and PosterLine. In order to install suspension rails, the extra suspension fitting (9113997) is also required (see p. 58). Continuously adjustable for accurate alignment. Including metal plate insert for static loads of up to 10 kg.

System consists of: Adaptor clamp with metric ISO thread (M3) and metal plate.

■ Art. no.	Unit quantity
9210476	50
9405906	10

Material: Nickel-plate, metal plate: Galvanised steel



CEILING FIXTURES





Extra suspension fitting for suspension rail

Application: Extra suspension fitting for long rail constructions.
Only for suspension rail. Can also be used in combination with QuickFix (see p. 57). Note that eye bolt must be removed prior to QuickFix insertion.

■ Art. no.: 9113997

Material: Aluminium
Colour: Silver, anodised

Unit quantity: 10



Steel cable for QuickFix professional suspension system

Application: Suitable 1.2 mm-thick steel cable in three lengths with fixed hook on one end. For fast and professional mounting of your suspension system.

■ Art. no.	Length steel cable
9210478	90 cm
9210479	120 cm
9210480	150 cm

Material: Galvanised steel

Unit quantity: 50



Clip profile 60/84 cm

Application: Extruded clip profile for holding posters in formats DIN A2 / DIN A1 landscape.

■ Art. no.	Length
9114412	60 cm (for DIN A2 landscape)
9114409	84 cm (for DIN A1 landscape)

Material: PVC
Colour: Transparent

Unit quantity: 50